



TOMI[™]
ENVIRONMENTAL SOLUTIONS

STERAMIST[®]
POWERED BY BINARY IONIZATION TECHNOLOGY[®]

TOMI[™] Environmental Solutions
PRODUCT CATALOGUE

DISCOVER HOW YOU CAN UTILIZE THE
POWER OF **STERAMIST**[®] iHP[™] TODAY

TOMIMIST.COM
800.525.1698

SteraMist® Featured Products



STERAMIST® SURFACE UNIT

Includes:

- SteraMist® Handheld Applicator with Harting Connection
- Tool Kit
- DI Water Cartridge

(110v/120v) - HHA-103-2-110
(220v/230v) - HHA-103-2-220



SELECT STERAMIST® SURFACE UNIT

Includes:

- SteraMist® Handheld Applicator (30' Cord and Single-Point Connection)
- Pressure Gauge and Regulator
- Digital Potentiometer for adjusting pump flow/ speed
- Programmable Timer
- Start/Stop Buttons
- Tool Kit
- DI Water Cartridge

HHA-102-02-110-SS
HHA-102-02-110-SS (90-degree Applicator & Flange)



STERAMIST® E-Z DISINFECTION CART

Includes:

- SteraMist® Surface Unit (HHA-102-2-110)
- Shelved Stainless Steel Transport Cart
- 2 Gallons of BIT Solution
- Dräger® X-am 5100 Portable H₂O₂ Monitor
- X-POWER 3580 Air Scrubber w/ Dual Carbon Filters
- MaxAir® System Helmet w/ Positive Pressure Air Flow System
- Caution Sign

CART-100

CART-200 - **CART ONLY**



STERAMIST® ENVIRONMENT SYSTEM

Includes:

- Three (3) Remote Applicators
(Single Point Connectors with 30' Cords)
- Three (3) Remote Applicator Stands & Mounts
- Tool Kit
- DI Water Cartridge

(110v/120v) - TPO-302-2-110

(220v/230v) - TPO-302-2-220

Components and Accessories

APPLICATORS

REMOTE APPLICATOR



Remote applicator with 20' cord and three-point connection.

Remote Applicator APP-3PT

REMOTE APPLICATOR



Remote applicator with 30' cord and single point connection.

Remote Applicator APP-1PT

90° APPLICATOR



Stainless steel enclosure for use with SteraMist® unit. Able to be mounted on enclosure or semi-permanently connected via flange (sold separately).

90° Applicator APP-90
Flange F-100

REPLACEMENT APPLICATORS

HANDHELD APPLICATOR



For use with previous SteraMist® model generators. Features 20' cord and three-point connection. (Stand not included).

Handheld Applicator HHA-201-02/
TPO-401-02

REMOTE APPLICATOR (TPO-302-2-110/220)



For use with SteraMist® generators. Features 30' cord and single point connection. (Stand not included)

Remote Applicator HHA-202-2/
TPO-402-2

CONSUMABLES, MONITORS, & ACCESSORIES

STERAMIST® BIT™ SOLUTION



Available in either a single case of four (4) 1 Gallon/3.79 Liter bottles of BIT™ Solution **OR** a 55-gallon drum designated for custom SteraMist® Build-Ins.

BIT Solution - 1 Case BIT-400
BIT Solution - 55 Gallons BIT-40055GL

IN-LINE PRE-FILTER



BIT™ Solution dip tube with built-in filtration.

In-Line Filter (x1) In-Line Filters

MOUNT & STAND (FOR ENVIRONMENT SYSTEM)



Mount and stand required for SteraMist® Environment System Operation. Each sold separately.

Applicator Mount (x1) TPO-MOUNT
Applicator Stand (x1) TPO-STAND

DRAGER X-AM 5100 H₂O₂ MONITOR



For use as a sentinel when using the SteraMist® Surface Unit.

Drager X-am 5100 Monitor (x1) DRA-510

STERAMIST® TOOL KIT



Tool kit exclusively for SteraMist® product maintenance.

Surface Tool Kit (x1) EQU-115
Environment Tool Kit (x1) EQU-116

PORTASENS® II PORTABLE GAS DETECTOR



For use with the SteraMist® Environment System. Includes a 0/200 PPM H₂O₂ Sensor.

PortaSens® II (x1) ATI-0998

STERAMIST® BIT™ SOLUTION CARTRIDGE DIP TUBE



SteraMist® BIT™ Solution retrieval tube for Surface Unit and Environment System.

BIT Solution Dip Tube (x1) BIT-401

MAINTENANCE & UPGRADES

SURFACE UNIT CALIBRATION



Corrective calibration of the SteraMist® Surface Unit.

Surface Unit Calibration CALIB-SURFACE

ENVIRONMENT SYSTEM CALIBRATION



Corrective calibration of the SteraMist® Environment System.

Environment System Calibration CALIB-ENVIRONMENT

ENVIRONMENT SYSTEM PDF PRINTING UPGRADE



Upgrades the SteraMist® Environment System to enable PDF data downloads.

Each run cycle is recorded and saved to a USB drive as a PDF file that includes:

- Serial Number of Generator
- BIT Lot Number and Expiration
- Designated Location Identifier
- Start/End Time & Date of Cycle
- Applicator Dosage Amounts & Location
- Injection/Dwell/Aeration Times
- Error Notifications
- Added Data Points for "Split Mode"

PDF Printing Upgrade PDF-UPGRADE

HARTING CONNECTOR CAMLOCK UPGRADE



Unit upgrade from three-point applicator connection to single-point applicator connection.

Camlock Upgrade - Generator & Single Applicator
Camlock Upgrade - Generator & Three (3) Applicators

ADDITIONAL ONE-YEAR WARRANTY

**1-YEAR
WARRANTY
EXTENSION**

Additional one-year warranty for purchased SteraMist® products and accessories.

TOMI™ Additional One-Year Warranty WTY-1

CLIENT SERVICES

FACILITY IHP® SERVICE



Room, equipment, whole facility, and emergency disinfection/decontamination service. Single, routine, and emergency services available. Please contact service@tomimist.com for pricing.

iHP Disinfection/
Decontamination Service SERVICE-IHP

IMPLEMENTATION SERVICE



The installation and/or implementation of SteraMist® product at client's facility. Price does not include travel or expenses.

Installation/Implementation INSTA-IMPLE

VALIDATION SERVICE



SteraMist® efficacy may be tested using chemical and biological, and/or enzyme indicators to ensure desired performance. Price does not include travel, expenses, or materials.

Validation VAL-100

QUALIFICATION SERVICE



Installation/Operational Qualification and Performance Qualification serves to provide documentation confirming that SteraMist® product is installed/implemented according to specification.
Pricing varies based on products and requests.

Qualifications IOQ-PQ

FILTRATION PRODUCTS

HEPA 500 AIR SCRUBBER



HEPA filtration system for the removal of particulates and introduction of clean air flow into the surrounding area.

HEPA 500 Air Scrubber (115v)	HEPA-500-SC-US
HEPA 500 Air Scrubber (230v)	HEPA-500-SC
HEPA 500 Carbon Filter	HEPA-FILTER-SU
HEPA 500 Carbon Filter (x4)	HEPA-FILTER-CS

HEPA XPOWER-X3580 AIR SCRUBBER



HEPA filtration system for the removal of particulates and introduction of clean air flow into the surrounding area.

HEPA XPOWER X2580	HEPA-X2580
HEPA X2580 Carbon Filter	HEPA-CF15
HEPA XPOWER X3580	HEPA-X3580
HEPA X3580 Carbon Filter	HEPA-CF35

Validation Products

CHEMICAL INDICATORS

CHEMICAL INDICATORS



Used to measure exposure levels. These strips are packaged with a color chart in a waterproof plastic vial.

Chemical Indicator CHEM-IND

GROWTH MEDIA PADDLES



Double-sided trypticase soy agar (TSA) growth media paddles. Pack of 10.

Growth Media Paddles TSA-100

THIRD-PARTY VALIDATION AVAILABLE

PLEASE NOTE: Not an accredited lab. TOMI™ relies on third-party testing for biological validation results, and as such, pricing varies from location to location, depending on quantity and testing type.

For more information, please call: **800.525.1698**

BIOLOGICAL INDICATORS

BIOLOGICAL INDICATORS (STEAROTHERMOPHILUS)



Stainless steel ribbons or biological indicator discs inoculated with geobacillus stearothermophilus for use with culture media tryptic soy broth (contains bromocresol purple).

Stearothermophilus Stainless Steel Strips (x100)	MESA-327
Tyvek Transfer Pockets (x100)	MESA-750
Stearothermophilus Soy Broth (x100)	MESA-160

BIOLOGICAL INDICATORS (ATROPHAEUS)



Biological indicator discs inoculated with bacillus atrophaeus for use with culture media tryptic soy broth..

Atrophaeus B.I. Discs (x100)	MESA-090
Atrophaeus Soy Broth (x100)	MESA-TSB

ENZYME INDICATORS


ENZYME INDICATORS



Standard enzyme indicator pack and various accessories.

For Cycle Monitoring:	
3x5 Enzyme Indicators	EI-1007
Set of Reagents (x1)	
Test Tubes (x20)	
For Cycle Development:	
Naked Enzyme Indicators (x50)	EI-1008
Consumable Sets (x5)	
20 Test Tubes (Standard Pack)	EI-1501
20 Caps (Small Pack)	EI-1504
Large, Blue Plastic (Holds 72 Tubes)	EI-1507

PR2A TWIN-SHOT CAROUSEL READER



Includes carousel reader and software.

Twin-Shot Carousel Reader	EI-2001
Custom Flight Case	EI-2003
Temperature-Controlled Packaging	EI-3001

TRAINING

CERTIFICATION CLASS & ONGOING SUPPORT



Mandatory for first time SteraMist® users. A training and certification class for SteraMist® end users. Includes continuous support (i.e. protocol & policy development, troubleshooting, assistance as-needed, etc...)

Training and Support SUPP-100

TRAINING REFRESHER CLASS



A refresher certification class for SteraMist® available to end users.

Refresher Course TRAIN-100

ENZYME INDICATOR TRAINING



Cycle development, Enzyme Indicator Reader, and test process training.

Enzyme Indicator Training EI-5001

Personal Protective Equipment

PERSONAL PROTECTIVE EQUIPMENT

BULLARD™ EVA SPECIAL SERIES RESPIRATOR

Powered Air Purifying Respirator technology designed to provide constant airflow. Complete assembly includes:

- EVA powered air respirator with filter
- Respirator hood, full face respirator mask or facepiece with suspension
- Breathing tube assembly



EVA Respirator with Hood (Filter not included)	PAP-100
EVA Battery	PAP-200
Single-Port EVA Charger	PAP-200C
Six Port EVA Charger	PAP-200C6
EVA SSR (x6)	PAP-300
EVA HEPA (HE) Filter (x6)	PAP-301
EVA Hood & Head Suspension	PAP-400
EVA Hood	PAP-401
EVA Air Supply Hose	PAP-402
EVA Special Series Belt	PAP-403
EVA Air Supply Hose Clamp	PAP-404
EVA PAPR Belt Clamp	PAP-405

HONEYWELL™ PROTECTIVE GOGGLES



Adjustable, clear anti-fog protective goggles.

Honeywell™ Protective Goggles	G-1508385
-------------------------------	-----------

300TS-36 MAX AIR™ SYSTEM

Integrated respiratory cuff helmet that operates without the need for breathing tubes and waist-mounted blower units. Features selectable air flow ranges and always on safety status LED for air flow and battery charge levels. No fit testing required.



ALL COMPONENTS REQUIRED FOR COMPLETE ASSEMBLY

Max Air™ DLC Cuff (x40) (SM)	MAX-100SM
Max Air™ DLC Cuff (x40) (M/L)	MAX-100ML
Max Air™ Filter Cover	MAX-200
Battery Belt	MAX-300
Max Air™ 8-10 Hour Battery Charge (Large)	MAX-400
Max Air™ Battery Charger	MAX-500
Max Air™ System (Helmet)	MAX-600
Max Air™ 2166-10 N-OV Filters	MAX-700

R95 RESPIRATOR

Carbon layer for nuisance-level organic vapor relief. Not to be used without hood assembly.



R95 Respirator Mask (x20)	RES-100
Half-face Respirator (Small)	RES-H-3392
Half-face Respirator (Medium)	RES-H-3393
Half-face Respirator (Large)	RES-H-3394
North 5500 Half-face Respirator (Medium)	RES-H-6106
Organic Vapor Filter	RES-H-19184
North Organic Vapor Combo	RES-S-21486

Personal Protective Equipment

WALLMOD CURTAIN WALL MODULE

Plastic curtain to divide large spaces in preparation for whole-room disinfection. Kit includes poles and foam barrier to create a firm seal between curtain and ceiling. Meets NFPA 702 standards.

Each wall module requires 4' curtain module door.



Includes:

- (1) Header with Foam Seal and 10' Polyethylene 4mm Sheeting
- (1) 13' Telescoping Pole
- (4) Sleeve Clips
- (1) Door Clamp
- (1) Ring Top

4' Curtain Module Door	WALLMOD-DOOR-4
------------------------	----------------

4' Curtain Wall Module	WALLMOD-4
------------------------	-----------

5' Curtain Wall Module	WALLMOD-5
------------------------	-----------

7' Curtain Wall Module	WALLMOD-7
------------------------	-----------

CELLUCAP COVERALLS



Breathable personal protective equipment coveralls. Please provide size on purchase order.

Coveralls (Small) (x25)	PPE-100-S
Coveralls (Medium) (x25)	PPE-100-MED
Coveralls (Large) (x25)	PPE-100-LG
Coveralls (XL) (x25)	PPE-100-XL
Coveralls (2XL) (x25)	PPE-100-XXL
Coveralls (4XL) (x25)	PPE-101-4XL

KIMBERLY-CLARK™ NITRILE GLOVES



Purple nitrile powder-free exam gloves. Single use only.

Nitrile Gloves (x90)	PPE-300
----------------------	---------

TYVEK™ SHOE COVERS



For carpeted floors and food service areas. Keeps dirt and dust from workspace. Polypropylene. Non-skid bottom. Latex-free.

Shoe Covers (x200)	PPE-200
--------------------	---------

STERAMIST® EQUIPMENT RENTALS



STERAMIST®

SURFACE UNIT

Single-unit rental of the SteraMist® Surface Unit. Features a single applicator for versatile, portable handheld disinfection/decontamination. **Available to current end users only.** Daily and weekly rates available. BIT™ solution sold separately. Please call for availability.



STERAMIST®

ENVIRONMENT SYSTEM

Single-unit rental of the SteraMist® Environment System. Features 3 applicators, remote automation, and downloadable data sets. **Available to current end users only.** Daily and weekly rates available. BIT™ solution sold separately. Please call for availability.

STERAMIST® iHP™ PLASMA DECON CHAMBER

The iHP™ Plasma Decontamination Chamber is perfectly suited for research universities and laboratories looking to disinfect/decontaminate a chamber or cage washers. Featuring a custom control panel and remote automation capabilities.

CUSTOM FEATURES

- Decontamination chamber is customized based upon client specification and facility requirements
- Two level security-password protected
- Automated equipment for decontamination designated area
- Downloadable disinfection & decontamination run data
- Real-time measurement of injection rates to ensure targeted injection volume



The pricing for the iHP™ Plasma Decon Chamber varies by project. To request a quote and see if SteraMist® is right for your facility, please call **800.525.1698** or email us at **info@tomimist.com**.

iHP™ Custom Engineered System

STERAMIST® iHP™ CUSTOM ENGINEERED SYSTEM

Popular throughout the life sciences realm and no less scalable than its mobile counterpart, the iHP™ SteraMist® Custom Engineered System is a tailor-made, fully-automatic disinfection/decontamination system for facilities requiring a more unique and versatile solution.

CUSTOM FEATURES

- PLC interfaces with building's HVAC System for room isolation and aeration
- Two level security-password protected
- Automated equipment for decontamination of any closed area
- Downloadable disinfection & decontamination run data
- Real-time measurement of injection rates to ensure targeted injection volume
- Entire system is flexible can be developed for multiple rooms and various specifications



The pricing for iHP™ Custom Engineered System varies by project. To request a quote and see if SteraMist® is right for your facility, please call **800.525.1698** or email us at **info@tomimist.com**.

STERAMIST PRODUCTS

Surface Unit (110v/120v)	HHA-103-2-110
Surface Unit (220v/230v)	HHA-103-2-220
Select Surface Unit	HHA-102-02-110-SS
Select Surface Unit w/ 90-degree Applicator & Flange	HHA-102-02-110-SS (App & Flange)
E-Z Disinfection Cart	CART-100
Cart Only	CART-200
Environment System (110v/120v)	TPO-302-2-110
Environment System (220v/230v)	TPO-302-2-220

APPLICATORS

Three-Point Remote Applicator	APP-3PT
Single-Point Remote Applicator	APP-1PT
90° Applicator	APP-90
Flange	F-100

REPLACEMENT APPLICATORS

Handheld Applicator	HHA-201-02/ TPO-401-02
Remote Applicator	HHA-202-2/ TPO-402-2

CONSUMABLES, MONITORS & ACCESSORIES

BIT Solution - 1 Case	BIT-400
BIT Solution - 55 Gallons	BIT-40055GL
Applicator Mount (x1)	TPO-MOUNT
Applicator Stand (x1)	TPO-STAND
Surface Tool Kit (x1)	EQU-115
Environment Tool Kit (x1)	EQU-116
BIT Solution Dip Tube (x1)	BIT-401
In-Line Filter (x1)	
Drager X-am 5100 Monitor (x1)	DRA-510
PortaSens® II (x1)	ATI-0998

TRAINING

Training and Support	SUPP-100
Refresher Course	TRAIN-100
Enzyme Indicator Training	EI-5001

CLIENT SERVICES

iHP Disinfection/ Decontamination Service	SERVICE-IHP
Installation/Implementation Validation Qualifications	INSTA-IMPLE VAL-100 IOQ-PQ

MAINTENANCE & UPGRADES

Surface Unit Calibration	CALIB-SURFACE
Environment System Calibration	CALIB-ENVIRONMENT
PDF Printing Upgrade	PDF-UPGRADE
Camlock Upgrade - Generator & Single Applicator	
Camlock Upgrade - Generator & Three (3) Applicators	
TOMI™ Additional One-Year Warranty	WTY-1

CHEMICAL INDICATORS

Chemical Indicator	CHEM-IND
Growth Media Paddles	TSA-100

BIOLOGICAL INDICATORS

Stearothermophilus Stainless Steel Strips (x100)	MESA-327
Tyvek Transfer Pockets (x100)	MESA-750
Stearothermophilus Soy Broth (x100)	MESA-160
Atrophaeus B.I. Discs (x100)	MESA-090
Atrophaeus Soy Broth (x100)	MESA-TSB

ENZYME INDICATORS

For Cycle Monitoring: 3x5 Enzyme Indicators Set of Reagents (x1) Test Tubes (x20)	EI-1007
For Cycle Development: Naked Enzyme Indicators (x50) Consumable Sets (x5)	EI-1008
20 Test Tubes (Standard Pack)	EI-1501
20 Caps (Small Pack)	EI-1504
Large, Blue Plastic (Holds 72 Tubes)	EI-1507
Twin-Shot Carousel Reader	EI-2001
Custom Flight Case	EI-2003
Temperature-Controlled Packaging	EI-3001

FILTRATION PRODUCTS

HEPA 500 Air Scrubber (115v)	HEPA-500-SC-US
HEPA 500 Air Scrubber (230v)	HEPA-500-SC
HEPA 500 Carbon Filter	HEPA-FILTER-SU
HEPA 500 Carbon Filter (x4)	HEPA-FILTER-CS
HEPA XPOWER X3580	HEPA-X3580
HEPA X3580 Carbon Filter	HEPA-CF35
HEPA XPOWER X2580	HEPA-X2580
HEPA X2580 Carbon Filter	HEPA-CF15

PERSONAL PROTECTIVE EQUIPMENT

EVA Respirator with Hood (Filter not included)	PAP-100
EVA Battery	PAP-200
Single-Port EVA Charger	PAP-200C
Six Port EVA Charger	PAP-200C6
EVA SSR (x6)	PAP-300
EVA HEPA (HE) Filter (x6)	PAP-301
EVA Hood & Head Suspension	PAP-400
EVA Hood	PAP-401
EVA Air Supply Hose	PAP-402
EVA Special Series Belt	PAP-403
EVA Air Supply Hose Clamp	PAP-404
EVA PAPR Belt Clamp	PAP-405
Honeywell Protective Goggles	G-1508385
Max Air™ DLC Cuff (x40) (SM)	MAX-100SM
Max Air™ DLC Cuff (x40) (M/L)	MAX-100ML
Max Air™ Filter Cover	MAX-200
Max Air™ Battery Belt	MAX-300
Max Air™ 8-10 Hour Battery Charge (Large)	MAX-400
Max Air™ Battery Charger	MAX-500
Max Air™ System (Helmet)	MAX-600
Max Air™ 2166-10 N-OV Filters	MAX-700
R95 Respirator Mask (x20)	RES-100
Half-face Respirator (Small)	RES-H-3392
Half-face Respirator (Medium)	RES-H-3393
Half-face Respirator (Large)	RES-H-3394
North 5500 Half-face Respirator (Medium)	RES-H-6106
Organic Vapor Filter	RES-H-19184
North Organic Vapor Combo	RES-S-21486
4' Curtain Module Door	WallMod-Door-4
4' Curtain Wall Module	WallMod-4
5' Curtain Wall Module	WallMod-5
7' Curtain Wall Module	WallMod-7
Nitrile Gloves (x90)	PPE-300
Coveralls (Small) (x25)	PPE-100-S
Coveralls (Medium) (x25)	PPE-100-MED
Coveralls (Large) (x25)	PPE-100-LG
Coveralls (XL) (x25)	PPE-100-XL
Coveralls (2XL) (x25)	PPE-100-XXL
Coveralls (4XL) (x25)	PPE-101-4XL
Shoe Covers (x200)	PPE-200

To place an order or to request more information, please contact TOMI Environmental Solutions, Inc. at info@tomimist.com, or call **800.525.1698**



STERAMIST[®]

POWERED BY BINARY IONIZATION TECHNOLOGY[®]



HOSPITAL-HEALTHCARE



LIFE SCIENCES



TOMI[™] SERVICE NETWORK



FOOD SAFETY

TOMI[™] WORLD HEADQUARTERS

9454 Wilshire Boulevard | Penthouse G-6 | Beverly Hills, CA 90212

Phone: 800.525.1698 | Fax: 412.766.7878

TOMI[™] U.S. CORPORATE HEADQUARTERS

8430 Spires Way | Suite N | Frederick, MD 21701

Phone: 800.525.1698 | Fax: 412.766.7878

TOMIMIST.COM | info@tomimist.com

